


CSO Architects



Improvements Perry Meridian High School Instructional and Athletic Facility






Sports Complex Master Plan - Phase I

Perry Meridian High School Stadium Improvements | January 29, 2016







































GENERAL LANDSCAPE AND PLANTING NOTES

- Refer to Project Natural for Planting Specifications and Topaci requirements. Refer to Plant Schedule and Planting Details for editional information.
- All materials are subject to the approval of the Landscape Analogical and Denier along time. Landscape Association imper el pier bostors exchant bed conditions prior to instellation. On-size edjustments may be required.
- Roothelis shall treat or exceed size standards as set forth in Kneelsen, Standards for Numery Study, NAMEL EXCEPTS OF
- ALL TROOS SHALL ROMAIN INTACT.
 Remove from the site any plant redevial that simulations or problems within the (5) days ether planting. Replace
- immediately with approved, specified meterial.
 Pent sounds indicated an dreatings are for Landscape. Architecture only. Contexts that make one part questy teach, using treeting, specifications, and part streetile inquirements (i.e., specifications, and plant streetile inquirements) is a specific guidance definition of the one of make make and index appropriate guestions as governed by plant specific. per schedule. Per treated question show or pay an mismum question. Addition makes may be record to men questigragaments and field produce.
- Seed all areas disturbed by sometration activities that exercit otherwise noted to receive presents; pierting test, or sud-
- treatment.
 The Contractor shall need a shared opposit in all proposed servers to meet "specifications. Contractor shall contribute specify and placement of topacit. Lendanger. shall welly depth of toppoliption to plant installation. (Refer to
- specifications for tigodi source and piscement requirements; All the posture shall be marked with 2x7 stakes prior to pierting for review and approved by the Landscape Architect. Any pierti resteed in detection on incorrect bootion, by the judgment of the Lendscape Architect, shell be beingbelled at the Contractor's expense.
- 1 All plant bads shall receive 7 minimum of shradded herstand bet much (unless obereite noted).
- Verify all utility isostoms in the field prior to beginning work. Repair all denegat utilities to Deneric artifaction at no excitation loss.
- 15. The Contractor shall manual, all plant material and being until the project is fully excepted by the Lendscape Architect, unless
- otherwise cond.

 12. All workmands) and materials shall be guaranteed by the Contractor for aperted of one-coendar year other Fool.
- Acceptance
 13. Impail of part mayorial in eccordance with oil local under and
- ordinance. Coordinate with the Denerth obtain any required permits received to complete work.

 14. Contractor shall est ellitate plas for dislarage. Any tree pir that toks were for now thin 24 hours shall be indished using
- the pit distings.

 15. The Projector Fessing is the responsibility of the Contextor lifetimus protectiones shall include the full displiced the carriery first immunication satisfies, related strange, etc. may coor with the sea. The Continuor that ensure that to soil congection or the damage coops in any Protected energy of any time during the construction propers.

 15. These shall be interted in groups unless otherwise const.














PLANTING PLAN



L201 15059







GENERAL LANDSCAPE AND PLANTING NOTES

- Refer to Project Nature for Planting Specifications and Topical requirements. Refer to Plant Schedule and Planting Details for editions information.
- All nations are subject to the appropriate the Landscape Architect and Deter at any time. Landgage Architect to impact all plant bostons endplant bed conditions prior to indeletion. On the adjustments may be required.
- Routhells shall reactor exceed size standards as set forth in American Standards for Number Stack* 1990H LOVICEPS OF AL TREE SHALL REMINISTRET.
- Remove from the site any plant material that sums brown or
- debiates within five (5) days ether planting. Replace immediately with approved, specified materials. Plant sounds indicated on deterrings are for Landscape. Antifects use only. Contractor shall make own pierr quantly baseds using dreatings, specifications, and pierr schedule.
- reaction using trending, quantitation, and part or shade requirement (i.e., specing, arises otherwise dentials by Landauge Antifers. Contraction welly led measurements and notel appropriate quantities or governed by plant specing per schedule. Part miserial quantities shows on plant are minimum quantities. Additional material may be record to
- their peological process and find conditions.
 Seed all whee discribed by construction exhibits that we not observed in making presented, printing best, or and
- The Compactor shall regal engine enwed topage in all proposed bediened to meet lipsofloations. Contractor shall continue quantity and preserved of topics. Landscaper that with depth of topical prior to plant installation. (Refer to specifications for topical source and placement requirements)
- All the brations shall be named with 3x7 delet prior to pletting for twise and approved by the Landborge Architect Any place reduced implaint in an incorrect location, by the judgment of the Landscape Architect, shell be minoralled at
- the Contractors expense.
 All plant hads shall receive 7 minimum of streeds other based. ten suit (alexantenie nord)
- Werty of utility receiptors in the Self prior to beginning work.
 Repeir of decognic utilities to Demonstrational or or
- equitions use.
 The Contractor shall resistant all plant makeds and learns until the project is fully excepted by the Landscape Activities unless
- otherwise road.


 12. All enterenting and materials shall be guaranteed by the
- Contractor for a period of one selector year effer Pitel Acceptance.

 13. Install of pend meterial is accordance with all local golder and ordinance. Coordinate with the Owner to obtain any required
- permits recessary to complete work. 14. Contactor deal act of the pits for divineye. Any tree pir fact take week for more than 34 hours shall be installed using
- tre pt drainge. 15. The Projection Fending is the responsibility of the Costractor. Writture projected area shall include the full disclose of the tercoy. NO construction activities, meterial storage, etc. may counselful the sea. The Contextor shall-arrays that rousel competition or the denega count in any Protected seast, at any time during the construction process.
- 15. Trees shall be matched in groups unless otherwise sched.














PLANTING PLAN



L202 15059







GENERAL LANDSCAPE AND PLANTING NOTES

- Rater to Project Nature for Penting Specifications and Topical requirements. Paler to Prent Schedule and Penting Details for additional information.
- All outsides are subject to the approval of the Landscape Annihild and Denimal say time. Landscape Antimicrotic impact of plant bandons and plant and distinct prior to impact out. On the edystement may be required.
- Roothels shall meet or ecosed size standards on perfort in Newton Sendards for Nursery Sport 1969/LEADERS OF ALL TREES SHALL REMAIN INTRACT.
- Record for the the any plant nearly that turns forwar or activities with the (5) days after planting. Replace introduced with approach, specified method.
 Plantousts indicated on the lags are for landscape.
- 5. Piercounts adoes on traveling as for a validage. Antitlech and Contract of the land on report question beach single previous, predications, excipent stateds requirements. In a proceed, predications, except stated as predicated by Landauge Antitlech. Contractor to verify-see insecurement, and least appointion questions as generated by part specing per advalue. Plant making questions above on pion and making. Plant specific questions and may be received by the specific per advalue. Plant making questions are provided to provide the provided of the provided to the provided to provide the provided to the provided
- meet specing requirements and field conditions. Send of sever disturbed by construction admitted that we not observable notation represent, planting bad, or and treatment. The Contractor shall install another several oppositional.
- The Contention that install and a meet opposit in all proposed bed seen to meet Specification. Contention their concluses quantity and placement of reposit. Landscape shall wishly depth of opposit point to peer installation. Shall no specifications for topool point end processed requiremental, All the installation shall be method with 3.07 desire point to the content and its method with 3.07 desire point to the content and its method with 3.07 desire point.
- quedication for tocologue and placement requirement).

 All the isostom priel be nested with 10° dates plot to pleating for make and approved by the Landscape Architect. Any pleat nested installed in an incorrect location, by the judgment of the Landscape Architect, shall be resistanted at the Committee approved.
- the Committee agence.

 S. All part bedunded noise 2' circum of precised harboard best math foreign when the control.
- belt mich (mieszobenian roted).

 10. Verfy el allity postanoin the field prior to beginning work.
 Report el danneged allites to Cream's selabelian et to
- editional cost.

 The Contractor shall membris all plant remental and levers until the project is fully ecosphecity the Landscape Activities, unless otherwise material.
- All work remaining and materials shall be guaranteed by the Contractor for a period of one calendar year effer Finel
- Acceptance
 Install of plant meterial in accordance with all local codes and ordinances. Coordinate with the Center to down any required.
- pertition executely to complete work.

 9. Contingon shall be all the pitchs drainage. Any the pit that books water for more than 20 hours shall be introduction.
- Common state was tree job to design, Any teep prime holds well or more than Sharm deld be indeed using the job design.
 The Problem Ferring is the responsibility of the Common Minimum provided sees shall include the full offs the of the comply NiCommontain establish, related strongs with many your will not easier. The Common and establish the no. and
- cour efficience over. The Contractor shell ensure that no sall companion or the demage countril any Protected ensure at my line string the construction process.

 15. These shell be netted in groups unless observice noted.













or on the standard of

SITE PLANTING PLAN









